### Rice County, Minnesota

### [Absence of an entry indicates that data were not estimated]

	Potential for habitat elements Pct. of						Pote	ntial as habi	tat for		
Map symbol and soil name	map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
4D: Renova	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
4E: Renova	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
17: Minneopa, rarely flooded	90	Fair	Fair	Fair	Fair	Fair	Poor	Poor	Fair	Fair	Poor
24: Kasson	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Fair	Very poor
39A: Wadena	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
41A: Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
41B: Estherville	85	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
44: Ankeny	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
74B: Dickinson	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
81B: Boone	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor




This report shows only the major soils in each map unit


	5			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
											_
81D:											
Boone	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
81E:											
Boone	90	Very poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
98:											
Colo, occasionally flooded	90	Good	Fair	Good	Fair	Poor	Good	Good	Fair	Fair	Good
99D2:											
Racine, Eroded	90	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor
4004											
100A: Copaston	90	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
·							,,	,,			,,
102B: Clarion, moderately fine	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
substratum	00	Good	Good	Good	0000	Good	1 001	very poor	0000	Good	very poor
104B:											
Hayden	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
104C2:											
Hayden, eroded	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
104D2:											
104D2: Hayden, eroded	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
- · · · · · · · · · · · · · · · · · · ·											• •



Man accepted	Dat of			Potenti	ial for habita	t elements			Pote	ential as hab	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
104E:											
Hayden	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
106C2:											
Lester, eroded	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
40000											
106D2: Lester, eroded	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
							, , ,	,			,
106E:	00	D	Fair	0 1	01	0 1		\	Fals	0 1	
Lester	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
109:											
Cordova	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
113:											
Webster	85	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good
114:											
Glencoe, depressional	90	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
130: Nicollet	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
THOOMOT	00	0000	0000	Cood	Good	Cood		1 001	0000	0000	1 001
134:					<b>-</b> .	.,	0 1	0 1	<b>-</b> ·		0 1
Okoboji, depressional	85	Fair	Fair	Fair	Fair	Very poor	Good	Good	Fair	Fair	Good
138B:											
Lerdal	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor



	5. (			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
138C: Lerdal	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Leidai	90	i ali	G000	Good	Good	Good	very poor	very poor	Good	Good	very poor
176:											
Garwin	85	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good
208:											
Kato	85	Good	Fair	Fair	Poor	Poor	Good	Good	Good	Poor	Good
0.400											
213B: Klinger	85	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
rungor	00	0000	0000	<b>0</b> 000	0000	<b>0</b> 000	ı uıı	r un	<b>3</b> 000	Good	7 4.11
219:											
Rolfe, depressional	90	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good
238B:											
Kilkenny	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
238C2:											
Kilkenny, eroded	90	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								. , ,			- 71
238D2:			0 1	0 1	0 1	0 1		.,		0 1	
Kilkenny, eroded	90	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
238E:											
Kilkenny	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor
238F:											
Kilkenny	90	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor
•							71	71			71



Management	Data of			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
239:												
Le Sueur	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
253:												
Maxcreek	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good	
256:												
Mazaska	85	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good	
2054.												
285A: Port Byron	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
285B: Port Byron	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
r on Byron	30	0000	Cood	Cood	Cood	0000	1 001	vo.y poo.	0000	Jood	voly pool	
301B:	0.5	Cood	Cood	Cood	Cood	Cood	Door	Door	Cood	Cood	Door	
Lindstrom	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
301C:												
Lindstrom	85	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
307:												
Sargeant	85	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair	
323:												
Shields	85	Fair	Good	Good	Fair	Fair	Fair	Fair	Fair	Fair	Fair	
376B:												
Moland	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	




Man averbal	Data of			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
377: Merton	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
378: Maxfield	85	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good
382B: Blooming	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Poor
382C2: Blooming, eroded	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Poor
392: Biscay	85	Good	Good	Good	Good	Fair	Good	Good	Good	Fair	Good
408: Faxon	95	Fair	Fair	Fair	Poor	Poor	Good	Fair	Fair	Poor	Fair
411A: Waukegan	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
411B: Waukegan	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
414: Hamel	85	Good	Good	Fair	Good	Fair	Good	Good	Good	Fair	Good




	D			Potent	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
	-										
463A: Minneiska, occasionally flooded	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
484D: Eyota	90	Fair	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
523: Houghton, depressional	90	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
525: Muskego, depressional	90	Good	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
528B: Klossner, seep land	85	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Fair	Poor	Good
529A: Ripon	85	Good	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor
529B: Ripon	85	Good	Good	Good	Fair	Fair	Very poor	Very poor	Good	Fair	Very poor
548: Medo, depressional	85	Fair	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
572: Lowlein	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor




				Potent	ial for habitat	elements			Pote	ntial as habit	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
611D:											
Hawick	85	Very poor	Very poor	Fair	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
757:											
Nerwoods	85	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
761:											
Epsom, frequently flooded	90	Very poor	Good	Good	Fair	Poor	Good	Good	Fair	Fair	Good
764:											
Klossner, frequently flooded	90	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
783C2:											
Lester, eroded	50	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, eroded	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
783D2:											
Lester, eroded	50	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kilkenny, eroded	40	Fair	Good	Good	Good	Good	Poor	Very poor	Fair	Good	Very poor
783E:											
Lester	45	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Kilkenny	40	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor



Management	Data of			Potent	ial for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
783F:												
Lester	45	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor	
Kilkenny	40	Poor	Fair	Good	Good	Good	Very poor	Very poor	Poor	Good	Very poor	
849B:												
Urban land	60											
Estherville	40	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
860C:												
Urban land	60											
Hayden	40	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
875B:												
Hawick	55	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
Estherville	35	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
875C:												
Hawick	60	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor	
Estherville	25	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor	
945C2:												
Lester, eroded	65	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Storden, eroded	20	Fair	Good	Good	Fair	Poor	Very poor	Very poor	Fair	Fair	Very poor	



	5. (			Potent	ial for habitat	elements			Pote	ntial as habit	at for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
945D2:											
Lester, eroded	65	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Storden, eroded	20	Fair	Good	Good	Fair	Poor	Very poor	Very poor	Fair	Fair	Very poor
963C2:											
Timula, eroded	55	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Bold, eroded	35	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
963D2:											
Timula, eroded	55	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Bold, eroded	35	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
1013:											
Pits, quarry	100										
1016: Udorthents, loamy	85	Poor	Poor	Fair	Good	Good	Poor	Very poor	Poor	Fair	Very poor
1030:											
Pits, gravel	45										
Udipsamments	45										
1058: Houghton, ponded	45	Very poor	Poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good



Managembal	Datas			Potent	al for habitat	elements			Pote	ntial as habit	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
1058: Muskego, ponded	45	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
1080: Glencoe, ponded	30	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
Klossner, ponded	30	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
Okoboji, ponded	30	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good
1116F: Brodale	55	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Poor	Very poor
Eyota	35	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
1286: Prinsburg	85	Good	Good	Fair	Fair	Poor	Good	Good	Good	Fair	Good
1356: Water, miscellaneous	100										
1360: Rushriver, frequently flooded	85	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
1361: Le Sueur, moderately coarse substratum	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor



	T			Potenti	al for habitat	elements			Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life	
1362B:												
Angus	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
1363:												
Dundas, moderately coarse substratum	85	Good	Good	Good	Good	Fair	Good	Good	Good	Good	Good	
1366:												
Talcot	90	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good	
1367:												
Derrynane	85	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good	
1387A:												
Collinwood, moderately wet	90	Good	Good	Good	Good	Good	Poor	Poor	Fair	Good	Poor	
1388B:												
Terril, moderately wet	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	
1408B:												
Angus	50	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor	
Kilkenny	40	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor	
1409A:												
Kenyon, moderately wet	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor	



Map symbol and soil name	Pct. of map unit	Potential for habitat elements							Potential as habitat for		
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
1409B:											
Kenyon, moderately wet	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
1410B:											
Racine, moderately wet	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
1410C: Racine, moderately wet, eroded	90	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
1411B:											
Urban land	50										
Hayden	30	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Estherville	20	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
1413B:											
Littleton, till substratum	90	Fair	Good	Good	Good	Good	Fair	Poor	Good	Good	Poor
1416C:											
Renova, moderately wet	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
1437B:											
Renova, moderately wet	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
4504.											
1501: Klossner, overwash	85	Good	Poor	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
•											



Map symbol and soil name	5. (	Potential for habitat elements							Potential as habitat for		
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
4024.											
1831: Colo, channeled, frequently flooded	85	Good	Fair	Good	Fair	Poor	Good	Good	Fair	Fair	Good
1962: Mazaska	50	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
Rolfe	35	Fair	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good
W: Water	100										

